


**airo-chemie**

A. Schmiemann GmbH & Co. KG
chemisch-technische Produkte
D-40736 Langenfeld · Postfach 1143
D-40764 Langenfeld · Carl-Leverkus-Str. 27
Tel. (02173) 8538-0 · Fax 853860 + 853870

L5 1401 EN

Technical Data Sheet - Product Information

Product: **POLYESTER-VERDÜNNUNG**


**Characteristics:**

Reactive thinner for polyester products
Other than nitro, acrylic or synthetic resin thinner airo POLYESTER-VERDÜNNUNG reacts with polyester material and is thus chemically integrated into the resin molecule.


**Range of application:**

For viscosity adjustment of polyester products such as

- airo POLYESTER SPRITZFÜLLER
- airo STREICHSPACHTEL
- airo FIX
- AIROCOLL stone and marble fillers
- airo fillers and putties


**Instructions for use:**

airo POLYESTER-VERDÜNNUNG does not evaporate.



Do not add more than a maximum of 5% of airo POLYESTER-VERDÜNNUNG to the above polyester products.

Warning: An excess of airo POLYESTER-VERDÜNNUNG may alter the characteristics of polyester products.



Please note that POLYESTER VERDÜNNUNG is susceptible to humidity.
Please thoroughly close the package after use.

Chemical basis:

POLYESTER-VERDÜNNUNG: Solvent mixture
stabilised by monomeric styrene, esters

Temperature conditions:

Surrounding and material temperatures should range between +18 °C and +25 °C.
Do not apply at temperatures below +5 °C

Storage stability:

6 months in tightly closed tins when kept at +20 °C.

Disposal consideration:

Disposal according to local regulations.

Please consider our technical advice – be it verbally, in writing or testing and supplied to the best of our knowledge – as information only and without responsibility in respect to other parties. It does not release you from your obligation to test the products supplied regarding their suitability for the intended application. Handling and utilization of our products by the customer exceed our responsibility and are at the customer's liability. We guarantee that our products conform to their specification and we will refund or replace non conforming products only. Airo cannot be held responsible for any damages or accidents in connection with the use of our product.